



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

CALIFORNIA—*Los Angeles*.—Month of July, 1898. Estimated population, 103,000. Total number of deaths, 134, including diphtheria, 2; enteric fever, 4; whooping cough, 1, and phthisis pulmonalis, 25.

*Sacramento*.—Month of July, 1898. Estimated population, 30,000. Total number of deaths, 28, including diphtheria, 1; enteric fever, 3, and phthisis pulmonalis, 4.

ILLINOIS—*Chicago*.—Month of July, 1898. Estimated population, 1,750,000. Total number of deaths, 1,938, including diphtheria, 48; enteric fever, 55; measles, 14; scarlet fever, 3; whooping cough, 17, and 163 from phthisis pulmonalis.

IOWA—*Davenport*.—Month of July, 1898. Estimated population, 36,000. Total number of deaths, 29, including 1 from phthisis pulmonalis.

LOUISIANA—*New Orleans*.—Month of January, 1898. Estimated population, white, 195,000; colored, 80,000; total, 275,000. Total number of deaths, 534, including diphtheria, 2; enteric fever, 11; whooping cough, 1; yellow fever, 1, and 73 from phthisis pulmonalis.

Month of February, 1898. Total number of deaths, 504, including diphtheria, 4; enteric fever, 10, whooping cough, 2, and 85 from phthisis pulmonalis.

Month of March, 1898. Total number of deaths, 554, including diphtheria, 2; enteric fever, 11, and 81 from phthisis pulmonalis.

Month of April, 1898. Total number of deaths, 494, including enteric fever, 5, and 86 from phthisis pulmonalis.

Month of May, 1898. Total number of deaths, 633, including enteric fever, 11; whooping cough, 3, and 67 from phthisis pulmonalis.

Month of June, 1898. Total number of deaths, 585, including diphtheria, 1; enteric fever, 18; whooping cough, 2, and 61 from phthisis pulmonalis.

MAINE—*Portland*.—Four weeks ended Saturday, August 6, 1898. Estimated population, 41,500. Total number of deaths, 46, including whooping cough, 2, and 3 from phthisis pulmonalis.

MARYLAND—*Baltimore*.—Month of June, 1898. Estimated population, white, 431,054; colored, 75,344; total, 506,398. Total number of deaths, 967; white, 725; colored, 242, including diphtheria, 22; enteric fever, 9; measles, 12; scarlet fever, 8; whooping cough, 7, and 72 from phthisis pulmonalis.

MASSACHUSETTS—*Brockton*.—Month of July, 1898. Estimated population, 35,853. Total number of deaths, 34, including enteric fever, 1, and 5 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended August 6, 1898, from 78 observers, indicate that pleuritis and inflammation of kidney increased, and inflammation of bowels decreased in area of prevalence. Phthisis pulmonalis was reported

present at 181, enteric fever at 42, measles at 29, scarlet fever at 18, diphtheria at 15, whooping cough at 15 places, and smallpox at 1 place.

NEW HAMPSHIRE—*Manchester*.—Month of July, 1898. Estimated population, 60,000. Total number of deaths, 115, including diphtheria, 1; whooping cough, 1, and 9 from phthisis pulmonalis.

NEW YORK—*Buffalo*.—Month of July, 1898. Estimated population, 370,000. Total number of deaths, 517, including diphtheria, 1; enteric fever, 5, and 29 from phthisis pulmonalis.

OHIO—*Columbus*.—Month of July, 1898. Estimated population, 135,000. Total number of deaths, 152, including diphtheria, 2; whooping cough 3, and phthisis pulmonalis, 18.

PENNSYLVANIA—*Meadville*.—Month of July, 1898. Estimated population, 12,000. Total number of deaths, 7.

TENNESSEE—*Memphis*.—Month of July, 1898. Estimated population, 61,747. Total number of deaths, 121; white, 51; colored, 70, including enteric fever, 5, and phthisis pulmonalis, 10.

UTAH—*Salt Lake City*.—Month of July, 1898. Estimated population, 70,000. Total number of deaths, 55, including diphtheria, 1; scarlet fever, 1; whooping cough, 2, and phthisis pulmonalis, 5.

WASHINGTON—*Seattle*.—Month of July, 1898. Estimated population, 70,000. Total number of deaths, 59, including diphtheria, 4; enteric fever, 1, and 3 from phthisis pulmonalis.

*Tacoma*.—Month of July, 1898. Estimated population, 50,000. Total number of deaths, 28, including diphtheria, 1; enteric fever, 2, and 3 from phthisis pulmonalis.

WISCONSIN—*Superior*.—Month of July, 1898. Estimated population, 35,000. Total number of deaths, 29, including 1 from diphtheria.